

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21093	(707/100,10,102 715/513,516,522, 523,524).ccls.	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:13
L2	92968	data adj1 structure	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:14
L3	25355	(unique primary secondary first user-defined customiz\$4) with key with (value store element attribute\$1 field schema generic standard XML document object\$1)	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:18
L4	2034	key adj1 identifier\$1	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:19
L5	31231	data adj1 store	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:19
L6	668452	database	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:19
L7	382	generic adj1 document\$1	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:19
L8	19	(I5 I6) with I7	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:20
L9	21518	schema	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:20
L10	4152	XML adj1 schema	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:20
L11	0	I2 with I7 with (I9 I10)	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:21
L12	140	I2 with document\$1 with (I9 I10)	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:21
L13	0	I8 and (I3 I4)	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:22
L14	15	I8 and @ad<"20031124"	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:24
L15	87	I12 and @ad<"20031124"	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:25
L16	126	extensible adj1 (mark-up markup) adj1 language adj1 schema	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:25
L17	3	I15 and I16	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:29
L18	10	(store storing archiv\$5) near5 I7	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:31
L19	0	I18 same I9	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:31
L20	0	I18 and I9	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:31

## EAST Search History

L21	7	I18 and @ad<"20031124"	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:33
L22	63	((I2 I5 I6) with (I3 I4)).ab.	US-PGPUB; USPAT	OR	OFF	2008/01/07 16:34
L23	37	I22 and @ad<"20031124"	US-PGPUB; USPAT	OR	OFF	2008/01/07 17:13

**IEEE Xplore**  
RELEASE 2.4[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [C](#)

Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Mon, 7 Jan 2008, 3:22:58 PM EST

Search Query Display

## Recent Search Queries

- #1 (( ((key)<in>ti ) <and> ((schema)<in>ti ) )<and> ((identifier)<in>ti ) ) <and> (pyr >= 1950 <and> pyr <= 2003)
- #2 (( ((key)<in>ab ) <and> ((xml)<in>ab ) )<and> ((schema)<in>ab ) ) <and> (pyr >= 1950 <and> pyr <= 2003)
- #3 (( ((generic)<in>ti ) <and> ((document)<in>ti ) )<and> ((xml)<in>ti ) ) <and> (pyr >= 1950 <and> pyr <= 2003)
- #4 (( ((generic)<in>ti ) <and> ((document)<in>ti ) )<and> ((xml)<in>ti ) ) <and> (pyr >= 1950 <and> pyr <= 2003)

Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2007 IE